

LASTOIS CUBIERTAS, ELASTIC WATERPROOFING FOR ROOFS

<section-header><section-header><text><text>

Descripción

Liquid waterproofing based on elastomeric resins, with additives and pigments with high resistance. Used for roof waterproofing, decks, non trafficable terraces, roofs, balconies, etc Available in reds, brick-colour, white, black, green, brown and grey.

Aplication

Used for roofing on various supports such as tiles, mortars, bricks. Protection of party walls, treatment of fireplaces, decks slanted windows, etc.

Surface preparation

Must be clean, free of greases, oils and dust.

Modes of application

Apply one coating of IMPRILURRIS on the support using a paint brush or roller.

Once priming is dry, apply one coating of LASTOIS CUBIERTAS followed by embedding with FIBRAIS 300 reinforcing mesh.

Then apply a second coating of LASTOIS CUBIERTAS. It is very important to take into account the efficiency that is indicated (2kg/m2).



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es



Apply one coating of protection based on PAVIGRAIS or LASTOIS FH-CV as required.

Clean up

With plentyful clean water.

Data sheet

Density1,3 kg/dm3 ±0,05 kg/m3 Viscosity20.000 mPa·s ±10.000 mPa·s Solid content> 60% Colour/sRed tile, white, black and grey CompositionAqueous emulsion based on styrene acrylic copolymers > 350% (UNE 53.165) Resistance to traction> 10 kg/cm2 (UNE 53.165) Temperature of work5 to 30°C Folding capacity under cold temperaturelt does not crack (UNE 53,358) at -5 ZZZZZ ZZZZZ ZZZZZ ZZZZZ ZZZZZ

Performance

2 kg per sqm

Storage

2 years in original packagings, tightly closed and stored in a cool dry place.



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
Telf.: 981 602 111
Fax.: 981 601 508
Email.: desarrollo@teais.es





Indications of danger:

H412: H412: Harmful to aquatic life with long lasting effects.

Prudence advice:

P273: P273: Avoid release to the environment.

P501: P501:Dispose of contents/container in accordance with local/regional/national/international regulation

Supplementary information:

EUH208: EUH208:Contains 2-octyl-2H-isothiazol-3-one, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.



Avda. da Enerxía, nº 153, Pol. Ind. de Sabón
15143 Arteixo, A Coruña
Telf.: 981 602 111
Fax.: 981 601 508

Email.: desarrollo@teais.es

ζ

