



# GRAFITAIS, GRAFFITI CLEANER.

## Descripción

Cleaner for cleaning paintings on facades, walls, etc... No contains acids and alkali so the chemical composition of the support is not altered if it is of mineral origin. It is applied over the graffiti and let it act for at least 1 hour. Then remove it by brush and water. Colour: cloudy white.



## Aplication

For chemical removing of graffiti over several supports such as monuments, historical buildings facades, fencing walls, ceramic, historic centres of cities, etc...

## Surface preparation

The surface must be perfectly dry because the moisture reduces the performance of the product.

## Modes of application

It is recommended to do a previous test on the graffiti applying a big quantity of GRAFITAIS on it. Let it act for at least one hour and use a brush and water to remove it.

- Then, once the previous test is done, apply the product in the whole surface where the graffiti is. Let the product act between 1 and 2 hours and finally clean it with pressurized hot water. Repeat the process if anything remains until achieve a full cleaning.
- It is convenient to clean when the surface is not hot to avoid the decreasing of working-time of the product. It is recommended to apply the cleaner in the morning and avoiding sunlight or wind to leverage all the



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón  
15143 Arteixo, A Coruña  
☎ Telf.: 981 602 111  
📠 Fax.: 981 601 508  
✉ Email: desarrollo@teais.es

síguenos en:



cleaner potential.

## Clean up

With plenty of water.

## Data sheet

Density 1,13 Kg/L. (+-) 0,05 at 20°C

Colour/scloudy translucent

Odour characteristic

## Performance

According support

## Storage

3 years in their original packages, tightly closed, stored in cool and dry places.

## Security



## Indications of danger:

H225: H225: Highly flammable liquid and vapour.

H304: H304: May be fatal if swallowed and enters airways.

H315: H315: Causes skin irritation.

H318: H318: Causes serious eye damage.

H336: H336: May cause drowsiness or dizziness.



H361: H361d: Suspected of damaging fertility.

H373: H373: May cause damage to organs through prolonged or repeated exposure.

## Prudence advice:

---

P210: P210: Keep away from heat/sparks/open flames/hot surfaces. ? No smoking.

P280: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: P308+P313: IF exposed or concerned: Get medical advice/attention.

P370+P378: P370+P378: In case of fire: Use ABC powder extinguisher for extinction.

P501: P501: Dispose of contents/container in accordance with local/regional/national/international regulation



📍 Avda. da Enerxía, nº 153, Pol. Ind. de Sabón

15143 Arteixo, A Coruña

☎ Telf.: 981 602 111

📠 Fax.: 981 601 508

✉ Email: [desarrollo@teais.es](mailto:desarrollo@teais.es)

síguenos en:

